


# Southwest Business Print Finishing Equipment Guide

With a vast array of unique and high quality products, Southwest Business is your number one choice for print finishing equipment.

Trimmers & Cutters



Drills



Laminators



Shrink Wrap



Business Card Slitters



General Office



Folders



Shredders



Creasing, Perf & Score



Padding Press



Joggers



Punch & Bind Systems



## TABLE OF CONTENTS

ALM Automatic Laminators	5
Bookletmac	15
Business Card Slitters	10
Case Making Print Finishing	14
Cornering Machines	12
Creasers	13
Folding Machines	11
Heavy Duty Paper Punches	8
Laminators - Roll	2 - 4
Mail Room Supplies	18
Numbering Machines	18
Padding Presses	19
Paper Cutters	9
Paper Drills	15
Paper Joggers	19
Perforating Machines	12
Pouch Laminators	7
Roto Trimmers	6
Scoring Machines	13
Shredders	17
Shrink Wrap Systems	16
Staplers	18

Visit our website for updated pricing





## Coast to coast coverage



*B.C.*

**Brad Morris**  
British Columbia  
Branch Manager



*Prairies*

**Shawn Maddigan**  
Prairie Region  
Branch Manager



*Toronto*

**Paul Da Silva**  
Vice President of  
Sales




*Ottawa*

**Sandra Emmerson**  
Ottawa Region  
Branch Manager



*Quebec*

**Greg Djouboulian**  
Quebec Region  
Branch Manager



*Atlantic*

**Chris Ranger**  
Atlantic Region  
Branch Manager

## Hot & Cold Laminators

### VersaLam 2700HC 27" Hot & Cold Roll

- 1-side & 2-side laminating
- Core sizes: 1" & 3"
- Take-up roller for cold lamination
- Back pull bar
- Max. mounting capacity: 1/4"
- Middle de-curling bar
- On/off switch for bottom roller heat
- Max. laminating width: 27"
- Max. laminating thickness: 10mil
- Max. laminating speed: 5'/min
- Max. OD for top film: 11"
- 5 rear fans with on/off switch
- Variable speed & temperature control
- Temperature conversion feature
- Auto shut-off
- Feed tray & front shield sensors
- Includes its own stand
- Rear film splitter
- Guide plate for 8.5" x 11"
- Heavy-duty, all-metal construction



### Versalam #1300 13" 1 & 2 side

- Variable speed and temperature control
- Energy efficient auto shut-off features
- Feed tray & front shield sensors
- Temperature memory function
- 4 rear fans w/ on/off switch
- On/off switch for bottom roller heat
- Temperature conversion (C/F)
- Heavy-duty, all-metal construction
- 2-tone color (navy blue/silver)
- "J"-bar sliding bottom mandrel
- Run / Stop switch with reverse function
- Safety sensor on tray and shield
- 2 Built-in trimmers





## ICON All in one 13" Roll laminator - DH 360R

- Multi-function for either hot or cold laminating
- Adjustable film tension
- Separate operating button for forward, reverse and stop
- Can laminate up to 10 mil thickness
- The decurling function provides high quality flat output during single-sided laminating
- Equipped with a take-away roller which is ideal for foil fusing
- Comes with 1" and 3" core adaptors



## RSH-380 15" Laminator

- New size, up to 15" actual laminating width
- Fast, up to 5m/min. ( 16.5ft/min.)
- Large film roll capacity up to 11" diameter
- Accepts thick substrates up to 6mm (0.24")
- Stand-by function: power saving and auto shut off application



## RSL-2702-S

- Laminates thermal and pressure sensitive films up to 27" wide at speeds up to 8.2'/min
- Able to mount boards up to 3/16" thick and laminate up to 10mil film
- Designed for single side laminating with de curl bar, encapsulating and mounting with adjustable nip settings up to 3/16"
- Soft touch digital keypad allows easy operation and function control of temperature, speed and stored programs
- Pull out film shafts and drop down idler all in a tabletop roll laminator designed for a small working area



## Icon 15" Automatic One Side Pneumatic Laminator

The ICON is a fully automatic laminator consisting of three integrated components; automatic feeder, laminator, and automatic separator.

- Pneumatic System
- LCD display control panel
- Automatic paper feeding
- 300 sheets paper stacking
- In-line film slitler
- Infrared quartz heater
- Adjustable decurling device
- Automatic sheet burster
- Job sheet counter



## LamRite-2700 27" Roll Laminator

Engineered for productivity, the 27" LamRite-2700 Roll Laminator delivers superior results at laminating speeds up to 8.8 ft / minute and can be used with films up to 10 mil thick. Simple to operate and perfect for Schools, Copy Shops and In-Plant centers. Standard features include variable speed / temperature and tension control for enhanced reliability.

- Film core size: 1"
- Max Speed: up to 8.8'/minute





# Royal Sovereign Machines



## RSH 1151 45" / RSH 1651 65" Royal Sovereign Dual Hot Roll Laminators

The Royal Sovereign RSH Hot Roller is a wide format dual hot and cold laminator. Laminates pressure sensitive and thermal film up to speeds of 9.8' per minute for hot lamination and 13' per minute for cold lamination. Digital controls for temperature and speed with 9 programmable memory presets help deliver a perfect finish every time.

- Digital controls for temperature and speed help deliver a perfect finish
- Simple one button operation plus remote control and foot pedal allow hands-free operation
- Nine job memory setting feature for frequently used settings
- Auto-grip film
- High quality silicone rubber rollers

## Sigmont 55H 55" with Heat Assist

The Sigmont 55H laminator is a high quality, professional laminator with top roller heat assist capabilities. Specifically designed for users to easily and professionally finish wide format graphics such as banners, signs, POP displays, tradeshow graphics, posters, vehicle graphics, and much more. The 55" wide entry is ideal for laminating and gluing large format graphics.

## Sigmont 65H 65" Cold with Heat Assist

Royal Sovereign's next generation of Heat Assist Laminator is available in 65 inch width. With cutting edge features such as lightening speed, high grade rollers, rear remote and slitters, the Sigmont series laminators are in a class of their own.

- Rear Slitters for Inline Print Separation
- Front Facing Roller Nip Adjustment Crank
- Maximum Speed of Just Over 49 ft/min

## Fremont 55H 55" Cold with Heat Assist

55" Pneumatic Laminator with heat assist; perfectly suited for laminating and mounting traffic graphics and vehicle wraps.

- Fast lamination speeds of up to 20 feet per minute
- Heat Assist helps to reduce cure times and eliminate "Silvering"
- Pneumatic Pressurized Rollers provide evenly distributed pressure across the nip

## Fremont 65H 65" Cold with Heat Assist

65" Pneumatic Laminator with heat assist; perfectly suited for laminating and mounting traffic graphics and vehicle wraps.

- Crowned Silicon Rollers ensure proper tracking and last longer than rubber rollers
- Rigid media guide crank, rear remote and foot pedal included standard
- Integrated front feeder (x2) and rear rewinder







## ALM3222

### Fully Automatic Laminator 13"

- Small foot print - less than 4 sq. ft.
- Portable - locking roller casters
- 115 Volt, 15 amp service with economy mode
- Ultra quick warm up of less than 5 minutes
- Virtually unattended operation
- Digital sheet sizes: 13"x19", 12"x18", 11"x17", 8.5"x11"
- Operating with built in long mode allows sheets of infinite length to be laminated
- Automatically feeds up to 200 sheets
- Laminates copy paper or as heavy as 130lb cover stock
- Automatic two side or one side lamination
- Automatic flush or sealed edge trim
- Film thickness available: 1.2mil, 1.5mil, 3 mil, 5 mil



## ALM 3230


### Mini Fully Automatic Laminator 13"

- Heated rollers for crystal clear scratch-free laminations
- Adjustable trim for full encapsulation or precise flush cut
- Sits on a tabletop or optional stand
- Green Button Operation: touch the button and walk away for labour-free, fully trimmed and laminated sheets
- Laminating films available in 1.5, 3, and 5 mil, gloss, matte, and Elegant Silk Matte adheres to hard-to-laminate digitally printed sheets
- Small Foot Print – less than 4 sq. ft.
- Table Top or optional stand with locking roller casters
- Ultra quick warm up of less than 5 minutes
- Automatic two side lamination or short one side work
- Adjustable Automatic Flush or Sealed edge trim

Features	ALM 3222	ALM 3230
Laminating speed	Up to 68" per minute	Up to 40" per minute
Paper weight	20lb bond - 30lb cover	20lb bond - 100lb cover
Warm-up time	Approx. 5 min.	Approx. 5 min.
Feed capacity	200 sheets of 20lb bond	100 sheets of 20lb bond
Temperature	210 - 270° F	210 - 270° F
Sheet Sizes	8.5"x11", 11"x17", 12"x18" & 13"x19"	8.5"x11", 11"x17", 12"x18" & 13"x19"
Stand	Stand with film waste box included	Rolling stand (optional)
Finishing	Automatic flush or sealed edge	Automatic flush or sealed edge
Weight	130 lbs	100 lbs
Electrical requirements	120 V / 60 Hz	120 V / 60 Hz



# Roto Trimmers



## Roll-A-Blade 64

- Max. Trim Length: 64
- Self-Sharpening Tungsten Rotary Blade
- Transparent Clamping Bar: Holds the trimming material in place
- Trimming Capacity: Up to 2.0 mm thick
- Trimming Materials: Paper, newsprint, cardboard, plastic films, vellum, aluminum foil, vinyl, pvc, polyester, polypropylene, polyethylene, leather, veneer, and more
- Metal Stand with heavy-duty locking wheels and waste catcher (incl. with Roll-A-Blade 64 ONLY)

## Evolution

### 64", 84", 104", 124" and 144" cut lengths

The unique four piece cutter slideway and torsion bar extrusion combines with all the new full length base plate to create a cutting machine that will meet the challenges of the most demanding jobs.

The integral lift and hold mechanism of the new Evolution, operable from either end, ensures consistent straightness even under flex, while the swing-over and under-bench stowaway facility provides maximum working convenience and space efficiency.

#### Features also include:

- Single handed positioning, cutting, and clamping
- 1:15000 guaranteed cutting straightness
- Cuts all flexible materials, as well as semi-rigid materials up to 13mm, and Acrylic/Plexiglas



Ask Us About the Proteus Work Bench. Permanent work bench mounting is required.


## Ideal MBM Rota Trimmer 53" and 62" models available

- Ergonomic safety cutting head with fully enclosed, hardened steel rotary blade
- Transparent bar clamp with automatic clamping action
- Mounted sturdy metal stand with non-slip rubber feet
- Side brackets constructed of sturdy, impact resistant ABS plastic
- Precision cross bar
- Slotted side brackets for cutting oversized formats
- Anodized aluminum cutting table



## Professional Rotatrim Trimmer 12", 15", 18", 20", 24", 30", 36" and 42"

- Increased cut capacity, designed for every day use
- Overload protection feature
- User option to enable two-way cutting
- Finest quality Steel self-sharpening precision blades
- Metal end frames and head
- Twin chrome steel guide rails completely eliminate head swivel whilst delivering a smooth gliding action
- Solid laminate gridded baseboard with aluminium side rule and cursor



## Roll-A-Blade 18" and 36"

- Self-sharpening Tungsten Blade
- Extra wide work table with special grid ruler guide
- Twin sliding poles guide the blade with extreme stability
- Transparent clamping bar
- Other sizes are available

Other sizes available





## SM330 Office 13"

The Akiles Pro-Lam 330 offers a dual heat system for a more efficient lamination at lower temperatures.

- Metal cover
- Silicon rollers
- Metal gears
- Forward / reverse switch
- Heat / cold switch
- 13" Throat



## ProLam-PLUS 330

Dual heat system has 2 hot rollers plus top and bottom heat plates that are controlled electronically.

- Metal cover
- Silicon rollers
- Metal gears
- Forward / reverse switch
- Heat / cold switch
- 13" Throat



## ProLam-Ultra

The Akiles ProLam Ultra possesses superior quality and functionality combined with commercial grade design. Its 6 roller heat system produces professional, crystal-clear and bubble-free pouches every time.

- 4 heated and 2 cold rollers create a professional, crystal-clear, and bubble-free laminating result.
- Laminates up to 14 mil
- Patented internal cooling system makes the laminator cool to the touch while in use.



## Pouch Laminators

These machines use a lamination pouch that is sealed on one side.

The inside of the pouch is coated with a heat-activated film that sticks to the product once it runs through the machine for protection of your documents. Call Southwest Today!



## Laminating Pouches



- Guaranteed to work in all makes and models of laminators
- Laminating pouches are available in 3mil, 5mil, 7mil, and 10mil thickness
- Variety of widths and sizes

Specifications	Tamerica SM330	ProLam Plus 330	ProLam Ultra
Capacity	13" (330 mm)	13" (330 mm)	13" (330 mm)
Maximum Speed / minute	23"	23"	53"
Maximum Thickness	1 mm	1 mm	3 mm
Maximum Width	10 mil	10 mil	14 mil
Roller System	4 Hot	2 Hot / 2 Cold	4 Hot / 2 Cold
Memory	-	-	7 Presets
Dimensions	23" x 10" x 7"	21" x 8.5" x 4.5"	21" x 8.5" x 4.5"
Weight	11 lbs	20 lbs	40 lbs
Electrical Requirements	100 V / 15 Amps	100 V / 15 Amps	100 V / 15 Amps




# SW Series Heavy Duty Punches

## General Features and Benefits


- All metal construction makes it sturdy & gives this equipment a long life
- Punches up to 20-55 sheets for increased productivity
- Easy Change Die System makes it quick and convenient
- Vertical paper feed makes it easy to align sheets
- The Anti-Jam function makes it reliable, and provides increased productivity
- Foot pedal allows for hands free punching
- Internal safety switch will automatically cut the power off when the lid is lifted open
- Removable pins allow proper centering of the documents
- Binding modules available for Plastikoil inserter, Wire-O Closer and Plastic Binding Opener
- Power on demand reduces wear & tear on machine and noise level, plus it saves you 75% on your energy cost

## Punching Dies

We offer multiple punching die patterns for SW series punching machines. All dies are extremely durable with all-steel construction.



Power on demand systems use 75% less energy.




**SW-4012**

- Punches up to 30 sheets
- Paper sizes up to 12" length



**SW-7000**

- Punches up to 40 sheets
- Paper sizes up to 14" length



**APES-14**

- Ejects & stacks in one operation
- Increases productivity up to 50%



**SW-7650**

- Punches up to 55 sheets
- Paper sizes up to 14" length



**SW-7700**

- Punches up to 55 sheets
- Paper sizes up to 14" length




**PAL-14**

- Fits vertical SW series machines
- Increases productivity up to 25%

Die Patterns	Punch Pattern Not to Scale
3 Hole	● ● ●
2:1	● ● ● ● ● ● ● ●
3:1	● ● ● ● ● ● ● ●
4:1	● ● ● ● ● ● ● ●
4:1 Oval	● ● ● ● ● ● ● ●
5mm	● ● ● ● ● ● ● ●
3:1 Thumb	● ● ● ● ● ● ● ●
Comb (9/16") Adjustable	■ ■ ■ ■ ■ ■ ■ ■
2:1	■ ■ ■ ■ ■ ■ ■ ■
2:1	■ ■ ■ ■ ■ ■ ■ ■
3:1	■ ■ ■ ■ ■ ■ ■ ■

## Machine Rating

**Sheets of paper punch per hour\***





## Why Triumph Cutters?

For over half a century, Triumph has manufactured products to the highest standards of quality and reliability to become the leading manufacturer of small format paper cutters in the world. Triumph cutters and trimmers are world renown for their power, precision, and innovative safety features.

### Guillomax 17" Manual Cutter

The GUILLO-MAX is a heavy duty manual stack paper cutter. Capable of smoothly cutting up to 360 sheets (or 1 1/2") of 20lb bond paper at a time. The all metal construction on this unit ensures durability, dependability and consistency.



### TRIUMPH® 4305 Manual Cutter

The Triumph 4305 is a manual paper cutter with an extra large cut lever for minimal effort. It has a side guide with measuring scale. A compact size allows for easy portability and spindle guided back gauge with calibrated crank and measuring scale.



### TRIUMPH® 5255 Electric Cutter

The automatic, programmable 5255 includes features such as a programmable back gauge control module, an LED display that stores 9 programs (up to 9 steps each), a control module that features repeat cut and eject functions and many other features.



### TRIUMPH® 5560 Hydraulic Cutter

Programmable cutter with hydraulic blade and clamp drive, power back gauge, digital touchpad, and IR safety light beams on front table.

- Bright, LED optical cutting line
- Precision swing-cut blade movement



CUTTERS	Manual				Electric							Hydraulic	
Model	4300	4305	Guillomax	4705	4315	4350	4815	4850	5255	6655	6660	5560	7260
Cutting Width	16 7/8"	16 7/8"	17"	18 3/4"	16 7/8"	16 7/8"	18 5/8"	18 5/8"	20 3/8"	25 1/2"	25 1/2"	21 5/8"	28"
Cutting Height	3/4"	1 1/2"	1 1/2"	2 3/4"	1 1/2"	1 1/2"	3"	3"	3"	3"	3"	3 3/4"	3"
Narrow Cut	1 1/2"	1 5/16"	—	1 3/16"	1 3/8"	1 3/8"	1"	1"	1 3/8"	1"	1"	1 1/4"	3/4"
Cutting Length behind blade	13 3/8"	17"	—	18"	17"	17"	18"	18"	20 3/8"	24"	24"	22 7/16"	28"
Programmable	—	—	—	—	—	—	—	—	Yes	Yes	Yes	Yes	Yes
Clamp Type	Lever	Lever	Lever	Spindle	Lever	Auto	Spindle	Auto	Auto	Auto	Auto	Hydraulic	Hydraulic
VRCUT Ready	—	—	—	—	—	—	—	—	—	—	Yes	Yes	Yes
Shipping Weight (lbs)	95	115	77	297	191	200	531	556	648	772	775	970	1,534



# Business Card Slitters

## Graphic Whizard PT 33SC

Slit and Cut in a single pass with the PT 33SC. Do away with fixed cassette card cutters with adjustable slit design that offers more versatility. Pre-set templates offer an efficient solution for switching between jobs without the need to remove cartridges or accessories. Lead edge registration cut mark registration make for more accurate cutting from sheet to sheet vs. traditional guillotine cutting. Simplify the cutting process with the PT 33SC.



## Formax Flashcard Tabletop

The Formax FlashCard Business Card Cutter is a high-quality, economical solution for short-run production of full-bleed business cards, postcards, photos, and more. Its rugged, compact design allows users to cut cards on demand, up to 144 business cards per minute.

## Spiral Cardmate

The Cardmate Manual Business Card Cutter is light weight, with no power required. Cuts 60 cards per minute. Easily convert 8 1/2" x 11" sheets to finished 2" x 3 1/2" business cards with a simple two pass operation.

- 60+ cards in 60 seconds
- Cuts standard 2"x3.5" business cards
- Cuts index and cover weight stock
- Safe, lightweight machine
- No power required



## Akiles CardMac Plus

The Akiles CardMac Plus is the ideal solutions for any small office or business. It will produce over 30 business cards per minute.

- Cuts and slits 10 full bleed business cards from a letter size sheet in two passes
- Hardened steel blades cutting up to 350 gsm
- Paper stabilizers ensure proper positioning
- Adjustable side margins easily make micro-adjustments to accommodate off register jobs.



## Martin Yale BCS210

Enjoy perfect cuts with a 10up format and create a finished product in just 2 passes. A continuous feed slitter that accommodates different types of material thickness and adjustable feed to increase productivity.


- Creates up to 375 cards per minute
- Continuous feeding of stacks up to 5/8" thick
- Adjustable paper guides allow for easy set up for customized needs
- Cutting blades are semi-self sharpening to allow for years of operation without sharpening or replacement



## Formax FD 300

The FD 300 Office Desktop Folder provides an economical solution for low volume folding.


- Clearly-marked fold settings
- Push-button operation
- Speed: up to 7,400/hr
- Folds 11" and 14" paper
- Hopper capacity: 200 sheets
- LCD control panel
- AutoBatch



## Formax FD 314


This compact folder processes 11" and 14" paper at speeds up to 7,700 sheets per hour.

- Clearly-marked fold settings
- Push-button operation
- Speed: up to 7,700/hr
- Folds 11" and 14" paper
- Hopper capacity: 250 sheets
- LCD control panel
- AutoBatch



## 2051 Smartfold Folder


- Handles paper weight from 18 lb. bond to 90 lb. index
- Variable speed ranges from 3,000 to 15,000 sheets per hour
- Handles sheet sizes from 2 1/2" x 5 13/64" to 12" x 18"
- Feed table capacity can hold up to 500 sheets of 8 1/2" x 11", 20 lb. bond
- High memory capacity with 7 preset folds and 10 custom folds



## Ideal MBM 208J

The 208J folder from MBM is a table top manual, friction feed folder.

- Quick release rollers for easy cleaning and maintenance
- Roller and belt delivery neatly stacks folded jobs
- Accessories to enable cross fold is included
- Noise Reduction, Thick Paper and Quick Modes



### PAPER FOLDERS

Model	Folding Speed Sheets/hr.	Paper Size min. to max.	Sheet Capacity	Standard Folds	Paper Weight min. to max.	Programmable Memory	Dimensions (L x W x H)
Martin Yale P6400	2200	8 1/2" x 11"	3 to 5	2	16lb. to 24lb. Bond	No	7" x 14" x 7"
Martin Yale P7200	4000	8 1/2" x 11"	50	2	16lb. to 28lb. Bond	No	11" x 20" x 13"
Martin Yale 1611	9000	3 1/2" x 5" to 8 1/2" x 14"	150	5	16lb. Bond to 70lb. Index	Yes	33" x 16" x 14"
Martin Yale 1217A	10,300	3 1/2" x 4" to 11 3/4" x 18"	250	6	16lb. Bond to 126lb. Index	Yes	42" x 18" x 17"
Martin Yale 1812	12,000	2 1/2" x 5 13/64" to 12" x 18"	500	7	18lb. Bond to 90lb. Index	Yes	43" x 22" x 17"
Martin Yale 2051	15,000	2 1/2" x 5 13/64" to 12" x 18"	500	7	18lb. Bond to 90lb. Index	Yes	43" x 22" x 18"
Ideal MBM 407A	11,520	3 1/2" x 5" to 11" x 17"	450	6	14lb. to 70lb. Bond	Yes	21" x 41" x 20"
Ideal MBM 208J	14,400	3 1/2" x 5" to 11" x 17"	500	6	12lb. to 80lb. Bond	No	21 1/2" x 40 5/8" x 19 3/4"
Ideal MBM 408A	14,400	3 1/2" x 5" to 11" x 17"	500	6	12lb. to 80lb. Bond	Yes	21 1/2" x 39 3/4" x 19 3/4"
Ideal MBM 508J	14,400	3 1/2" x 5" to 11" x 17"	500	6	12lb. to 80lb. Bond	Yes	21 1/2" x 39 3/4" x 19 3/4"
Ideal MBM 352F	22,000	2" x 2 3/4" to 14" x 21 1/4"	300	6	13lb. to 110lb. Bond	No	22 1/4" x 41 3/4" x 14 1/2"

### AIR FEED FOLDERS

Ideal MBM 1800S	18,000	4 1/2" x 8 1/4" to 13" x 19"	800	6	16b. to 80lb. Bond	Yes	24" x 49" x 23"
Ideal MBM 352S	30,000	3 3/8" x 4 3/4" to 12 5/8" x 17 3/4"	450	6	13lb. to 110lb. Bond	No	22 1/4" x 51 1/4" x 43 1/2"



# Cornering & Perforating Machines

## Graphic Whizard PT-CR607 Corner Rounder

The Graphic Whizard PT-CR607 Corner Rounder can handle up to 600 sheets of paper at once, taking sharp corners off and leaving perfectly round edges behind.

- Protective safety covers, two handed operation or heavy duty foot pedal control
- Comes standard with 7 dies plus 7 replacement blades that are all preloaded into a rotary carousel (3mm, 4mm, 5mm, 6mm, 7mm, 8mm and 10mm radii)
- Large work table
- Built-in scrap box



## Lassco CR-177 Tabletop Corner Rounder


The Lassco Wizer CR-177 corner rounder is incredibly simple to operate and the large throat helps to ensure maximum productivity.

- Designed to handle paper and plastic products
- Long handle and 5" wide grip for added leverage and comfort
- Can handle up to a 1" stack of product 15" x 15" table size



## CR-50P Round Corner

- Designed to handle paper and plastic products
- Electric operation with foot pedal activation for fast and effortless cutting
- Can be operated up to 30 strokes per minute
- Accepts standard, special and large size corner rounder cutting units
- Table size: 17" x 17"
- Actual Weight: 70lbs
- Shipping Weight: 112 lbs




## RCC-110 Heavy Duty Corner Rounding Machine


- Capable of cutting all standard materials including: PVC, Polyester, Leather, Paper, Polypropylene, etc.
- Designed to cut through multiple sheets at a time
- Interchangeable die system for various cutting jobs




### Dies & Accessories Included




No: C15  
Straight Knife  
Size: Adjustable




No: D21  
Semicircle Knife  
Size: 13/16"



No: R10  
Radius Knife  
Size: 3/8"



No: D6  
Punch Knife  
Size: 1/4" hole



No: R3.5  
Radius Knife  
Size: 1/8"

Spare Plastic Pads





## Aerocut Nano

Stable air feed mechanism takes a wide range of paper stocks. Cuts and cross cuts prints in one pass. Elevated feed table separates digital stocks to avoid mis-feedings, damages and roller marks. Density sensor for true double feed detection.



## Aerocut X-Air feeder slitter/cutter/creaser

The Aerocut Velocity is the refined model of the Aerocut Classic slitter/cutter/creaser and features enhanced productivity and user-friendliness. Feeding is an important and essential part for any print finishing device.



## Aerocut X-PRO feeder slitter/cutter/creaser

The Aerocut PRO is an ideal solution for finishing, especially for shortrun digitally printed applications. The PRO has the capability to perforate stocks both across and along feeding direction by adding on an optional perforating unit.



## Spiral ProCrease M2.1

The Spiral ProCrease-M2.1 is a manual channel creasing machine designed to prevent cracking in toner based digitally printed graphics. This is an updated version of our popular ProCrease-M2 with redesigned creasing spacers that are stronger and more durable.

- All metal construction
- Paper stops assure exact position of each crease



## Graphic Whizard PT 330 Mini Semi Auto Creaser

This entry level creaser is an economic solution for printers facing the issue of digital toner cracking. Keypad programming for simple operation makes for an efficient option to move away from rotary scoring and into a true die crease with minimal effort.

- True die crease eliminates toner cracking
- Removable trays to save space
- Tabletop



## Graphic Whizard PT 330S Semi Auto Creaser

The PT330S is a handfed, tabletop, creaser designed for short run creasing of digital or offset printed materials and it program up to 6 creases per sheet. This entry level creaser gives the same professional results of more expensive creasers at a fraction of the cost.



## Graphic Whizard PT 335B Multi Automatic Creaser

The PT 335B Multi is a versatile automatic creaser with multiple finishing options; cross perforating with the capability to do partial perms, choice of three creasing widths, and an array of rotary tools; perforating, scoring, slitting, and kiss-cutting.






## Case Making Print Finishing

Personalized, custom printed hard covers are no longer a luxury; these are a necessity in order to compete for your customers. With Fastbind Case makers you can make personalized hard covers in minutes – using your design, your printer, your imagination!



### Perfect Binder Fastbind Elite XT

Take your glossy or non-glossy sheets and custom Hard Cover, and perfect bind your book using this machine.



### BooXter Duo

Staple your proposal/book together and then use the guide to insert your sheets into the Hard Cover, attach the end sheets and you have your custom book complete.



### FASTBIND Cover Tacking Sheets

Print your own custom covers using your digital laser or ink jet printer.



### Casematic H46A

Use the H46A cover assembly guide and corner cutter to turn your printed tacking sheets and chipboards into a customer hard cover.



## Bookletmac

### BookletMac Semi-Automatic

Booklet Maker is fast and easy to use, allowing you to produce up to 800 booklets per hour of up to 80 pages. Its versatile functions gives you the option of Fold & Staple, Fold only or Staple only. Side and corner stapling is also available.

Makes books from:  
Letter, A4, A3, Legal, and 11" x 17"



Flat Paper Size: 4¾" x 8¼" to 12½"  
Finished Booklet Size: 41/8" x 4¾" to 8½" x 12"  
Production Speed: Up to 800 booklets per hour  
Max. # of Sheets: 20 sheets 20lb. bond or equivalent  
Staple Capacity: Maximum 4  
Staple Type: Flat 26/6; Flat 26/8; Loop 26/6

## Paper Drills



EBM-2 – Single Hole Drill



JF – Single Hole Drill




EH-3C – Three Hole Drill

### PAPER DRILLS

Specifications	EMB-2	JF - Single Hole Drill	EH-3C - Three Hole Drill
Horse Power	¼"	¼"	-
Spindle Motor	-	-	1
Volts	115	115	208 / 18 amps
Table Size	13" x 24"	13" x 24"	19 ½" x 31 ½"
Max. Throat Depth	1 ½"	1 ½"	-
Max. Drill Capacity	-	-	2 ½"
Table Travel	14"	14"	-
Floor Space Needed	-	-	36" x 41 ½"
Table Height	3 ½"	3 ½"	37"
Base Footprint	12" x 13 ½"	12" x 13 ½"	-
Overall Height	26"	26"	59 ¼"
Weight	77 lbs	77 lbs	520 lbs
Shipping Weight	94 lbs	94 lbs	570 lbs
Shipping Dimensions	32" x 21" x 22"	32" x 21" x 22"	32" x 21" x 22"





## Shrink Wrap Film

Southwest carries Shrink Wrap film made from standard Polyolefin. Polyolefin is a food grade film that is smoke free, high clarity, and high elasticity. This roll of Shrink Wrap Film is 14" wide, 4370 ft long and is 60 gauge thick.



## Shrinkwrap Machines

Affordable and easy to use portable shrink wrap systems provide security and helps prevent damage, giving your products a professional appearance.

- Shrink wrap packages in seconds for less than 5¢
- Protects products from tampering, fingerprints, dirt, scratches, moisture, etc.


### Preferred Pack PP1519ECMC

The Preferred Pack PP1519ECMC Economy Combination L' Sealer and Shrink Tunnel has a seal area of 15" W x 19" L. This L' Sealer and Tunnel combination system is only 76" in total length. New "Micro Knife Seal Technology". The tunnel features fully re-circulating air chamber, digital temperature control, pin wheel hole punch, 8 ft power cord and casters.



### 18" Shrink Wrapper

The 18" Manual Shrink Wrap System with Bar Sealer and Heat Gun shrink wraps packages in seconds for less than \$0.05 per package. Protects products from tampering, fingerprints, dirt, scratches, moisture and much more. Re-wraps opened or damaged packages duplicating original factory wrap.



### 16" x 22" All-In-One L'Sealer/ Chamber

Compact L' Sealer and Hooded Shrink Chamber in one complete unit. Seal area of 12" W x 18.5" L x 6" H. Machine comes with "Band Seal Technology," Magnetic Hold Down for seal and shrink Cycle, Pinwheel Hole Punch and casters. Speeds of 4-6 PPM. 110/220 volt power casters.



## Heavy Duty Shredder Bags

Southwest has shredders ranging from small single desk units, office central units, Pharmacy/Government grade units and even CD and hard drive destroyer units are available. We also carry shredder bags for all the models we sell.



2503 SHREDDER



2604 DESTROYIT

## PAPER SHREDDERS

Model	Feed Opening	STRIP CUT		CROSS CUT	
		Shred Size	Sheet Capacity	Shred Size	Sheet Capacity
2240	8 3/4"	3/16" (4mm)	10 - 12	1/8 x 1"	5 - 6
2260	8 3/4"	3/16" (4mm)	10 - 12	1/8 x 1"	5 - 6
2270	8 3/4"	3/16" (4mm)	10 - 12	1/8 x 1"	5 - 6
2360	9 1/2"	3/16" (4mm)	12 - 14	3/32" x 5/8"	6 - 8
2404	9 1/2"	3/16" (4mm)	19 - 22	3/32" x 5/8"	9 - 11
2503	10 1/4"	3/16" (4mm)	19 - 21	3/16" x 1 1/2"	12 - 14
2604	10 1/4"	3/16" (4mm)	27 - 30	3/16" x 1 1/2"	20 - 22
3104	12"	3/16" (4mm)	27 - 30	3/16" x 1 1/2"	22 - 25
3105	12"	1/4" (6mm)	50 - 52	3/16" x 1 1/2"	30 - 32
3804	16"	1/4" (6mm)	20 - 22	3/16" x 1 1/2"	24 - 36
4002	16"	1/4" (6mm)	32 - 35	3/16" x 1 1/2"	24 - 26
4005	16"	1/4" (6mm)	50 - 52	3/16" x 1 1/2"	30 - 32
4605	18"	3/16" x 2 3/8"	50 - 60	3/32" x 5/8"	32 - 37
4107	16"	1/2" (12mm)	120 - 140	3/8"	105 - 125

## Greenwave 16" Tabletop Perforator

The Greenwave 410 perforates cardboard at up to 34 feet per minute, up to 16" wide, and up to 0.4" thick.



## Greenwave 16" Free Standing Perforator

The Greenwave 430 perforates cardboard at up to 40 feet per minute, up to 16.9" wide, and up to .79" thick.



## CARDBOARD & PACKAGING SHREDDERS

Model	Style	Perf Speed	Max. Width	Max. Thickness	Machine Size
Greenwave 410	Tabletop	up to 34'/min.	up to 16"	up to .4"	23.2" x 16.5" x 14.2"
Greenwave 430	Free standing	up to 40'/min.	up to 16.9"	up to .79"	24.8" x 22.4" x 38.1"



## Numbering Machines

### GW 3000 Numbering Machine

The GW 3000 is designed as a mid-volume, automatic number/perf/score/slit machine, ideal for the printer who does more numbering than can be efficiently accomplished on a hand fed machine.



### GW 6000 Numbering Machine

The GW6000 is the most popular number/perf/score/slit machine in the industry. Numbers and perforates in one pass at speeds of up to 6000 sheets per hour. Ideal offline solution for finishing of docket books, lotto tickets, NCR sets etc.



## Staplers & Mail Room Supplies



### Martin Yale 1632 Automatic Letter Opener

- Automatically feeds and opens a stack of envelopes up to 1-3/4" high, making it a hands-free operation
- The machine operates at a speed of up to 7,000 envelopes per hour
- The blades are fully enclosed to protect fingers
- The catch tray folds for easy storage when not in use



### Rapid 106 Electric Stapler

Both flat or saddle applications.  
20lb bond: 40 sheets flat, 20 sheets saddle.

- Front loading of staples
- Automatic work trip or foot pedal allows actuated stapling
- When sight shield is raised the unit will not operate
- Adjustable stapling power and adjustable stapling depth up to 100mm



### Formax FC 6104 Paper Folder/Inserter

The FC 6104 inserter offers the latest technology in entry-level tabletop inserters, making it possible for any business to automate its mailings. The affordability of this inserter eliminates the need to send out tens of thousands of mail pieces in order to justify the cost of automation. With the FC 6104, any size company can enjoy the benefits of automated folding and inserting.



## Martin Yale J1811 Padding Press

The Martin Yale J1811 Padding Press is ideal for padding carbon-less forms, note pads and scratch pads. Padding capacity is 5 3/4" high and 17 3/4" wide. It is made of sturdy steel construction.



## Martin Yale J1824 Padding Press

The Martin Yale J1824 padding press stacks material up to 19 3/4" high. Great for creating your own note/scratch pads.



## Challenge Paddy Wagon Padding Press

The Challenge Paddy Wagon is a well proven product that is the answer to all your padding needs. Forget using home made padding presses or weights and boards!! With a capacity of 15,000 sheets of 20lb bond the Paddy Wagon makes short work of padding. Because the Paddy Wagon is on wheels it allows you to make your pads and then place to one side for drying.



## Challenge Handy Padder Padding Press

The Challenge Handy Padder design provides a portable and compact tabletop padding device for the right price. The convenient turn style base of the Challenge Handy Padder allows the operator to load, clamp and pad from a single position. The Challenge Handy Padder has an extended sheet metal stabilizer designed to eliminate tipping.



## Challenge Handy Jog Jogger

The Handy Jog is a low-cost highly effective jogger that fits into the most cost conscious budget. High power and quiet operation efficiently jogs paper up to 11" x 17". Unlike other joggers that have motors, bearings and rubber couplings, the Handy Jog has no moving parts that will wear or require maintenance.

- Front side loading
- Three trays to choose from – standard (8 1/2" X 11"), check tray (9 1/2" X 12") and large tray (11" x 17")
- Up to 11" x 17" stock tray
- Powerful jogging action
- Quiet operation
- Maintenance free drive mechanism



## Graphic Whizard PT Air Digital Jogger

This tabletop Graphic Whizard PT Air Digital Jogger model eliminates the static created in digitally printed sheets. The PT Air Digital Jogger can jog sheets up to 13 3/4" x 19 1/2" x 2" thick and has an adjustable air flow with 10 vents, as well as standard controllable jogging intensity, timer, height and angle.

- Eliminate static created in digitally printed sheets
- Adjustable air flow with 10 vents
- Standard controllable jogging intensity
- Adjustable timer
- Adjustable height
- Adjustable angle
- Tabletop, optional post stand








With locations in 6 of Canada's key cities, we guarantee that help is always available.



ACROSS CANADA TOLL FREE: **1-877-285-7044**

✉ [sales@southwestbusiness.ca](mailto:sales@southwestbusiness.ca)

🌐 [southwestbusiness.ca](http://southwestbusiness.ca)



**SOUTHWEST  
BUSINESS PRODUCTS LTD.**

20 Dovedale Court,  
Toronto, Ontario, Canada M1S 5A7  
Tel: (416) 285-7044  
Fax: (416) 285-6721



**ATLANTIC REGION**



48 Trider Crescent, Unit 4  
Dartmouth, NS, B3B 1W5  
Tel: (902) 477-0382  
Fax: (416) 285-6721

**OTTAWA REGION**

Tel: (613) 744-7004  
Fax: (416) 285-6721

**QUEBEC REGION**

237 Boul. Grand  
L'Île-Perrot, QC, J7V 4W9  
Tel: (514) 694-7741  
Fax: (416) 285-6721



**PRAIRIE REGION**

Unit 2137  
6027 79th Avenue SE,  
Calgary, AB, T2C 5P1  
Tel: (403) 717-1707  
Fax: (416) 285-6721

**BRITISH COLUMBIA REGION**

Tel: (604) 574-9508  
Fax: (416) 285-6721