



SOUTHWEST BUSINESS PRODUCTS LTD.

From Bindings to Branding



FOLDERS

Tired of folding letters, invoices and statements by hand? Paper folders are designed to make your life easier.

Southwest helps you by taking in your used equipment as a trade-in towards the purchase of brand new equipment

Interested in upgrading to new equipment, but you're not sure what to do with your existing one? Do you have equipment lying around that you are no longer using? Want to save even more money on the purchase of new equipment?

We will consider all trade-ins regardless of what you are buying. Looking for a new laminator, but need to clear out space by removing the binding equipment you are no longer using?

We can take care of that for you.



HALIFAX NS
902.477.0382

MONTREAL QC
514.694.7741

OTTAWA ON
613.744.7004

TORONTO ON
416.285.7044

CALGARY AB
403.717.1707

VANCOUVER BC
604.574.9508

model overview

Folders



FD 300

98M

FD 314

	MY P7400 automatic tabletop	FD 300 desktop	MBM 98M manual tabletop	FD 314 desktop
Feed system	automatic	automatic	single roller friction	automatic
Speed, sheets per hour ¹	4,000	7,400	7,200	7,700
Paper size, inches	8½" x 11" to 8½" x 14	4" x 5" to 8.5" x 14"	4 x 5 to 8½ x 14	4" x 5" to 8.5" x 14"
Paper weight, pounds ¹	16-28 bond	up to 30 lb	16-80 lb	up to 30 lb
Capacity, sheets ¹	50 (20 lb. Bond or 80 gsm)	200	150	250
Suitable for digitally printed and coated stocks	-	-	-	-
Digital control panel	-	•	•	•
Programmability	-	-	-	-
Counter with BATCH and TOTAL functions	-	•	•	•
One-touch memory keys for custom folds	-	-	-	-
Automatic exit conveyor	-	-	-	-
Skew and micro-adjustment dials	-	-	-	-
Fully enclosed fold tables (for quiet operation)	-	-	-	-
Quick-release roller system for easy maintenance	-	-	-	-
Optional accessories	-	-	-	-
Electrical requirements	115/230V	120V 60Hz	120 V, 60 Hz	120V 60Hz
Dimensions (D x W x H), inches	20 x 13 x 10.5	24 x 14 x 16.5	14 x 25 x 16¾	24 x 14 x 17
Shipping weight pounds	17	25	39	27

¹ may vary due to variations in paper

See back for Air Feed Folders and Fold Styles >



■ Quick and Easy Diagnostics

Diagnostics mode for quick and easy trouble shooting and setup with 7 sensors (model MY2051).



■ Fold Guide

Clearly marked fold settings and simple out-of-the-box operation make this folder ideal for users who demand quick and easy set-up (FD 300 model).



■ Variable Speed Auto Folder

Variable speed ranges from 5,000 to 12,000 sheets per hour (models MY2051).



■ Fold Plates

Pre-marked with four common fold settings – letter, zig-zag, half and double parallel. Can be easily adjusted for custom folds (FD 314 model).



■ Colour Coded Set-up

The 98M comes with colour-coded fold plate graphics for accurate set-up.



208J



408A



2051



352F

MBM 208J manual tabletop	MBM 408A programmable	MY 2051 smart fold	MBM 352F programmable
3 roller friction	3 roller friction	automatic	2 roller friction
14,400	14,400	3,000 to 15,000	22,000
3 x 5 to 11 x 17	3 x 5 to 11 x 17	2½ x 5¼ to 12 x 18	2 x 2¾ to 14 x 21¼
12-80	12-80 lb	18-90 index	13-110 lb
500	500	500	300
-	-	-	-
•	•	•	-
6 standard folds	6 standard folds (+12 in memory)	7 standard folds / 10 custom	-
•	•	•	-
-	-	•	-
manual set rollers	manual set rollers	manual set rollers	manual set rollers
•	•	-	•
-	•	•	-
•	•	-	-
-	perforator, scorer	-	perforator, scorer, slitter, crossfold
115V, 60 Hz	115V, 60 Hz	115V, 60 Hz	115V, 60 Hz
21.5 x 40.6 x 19.7	39.75 x 21.5 x 19.7	22.2 x 43.2 x 18	22¼ x 41¾ x 14½
67	65	102	105

¹ may vary due to variations in paper

See back for Air Feed Folders and Fold Styles >



■ Quick Release Rollers

The quick release rollers make regular maintenance and cleaning easy (model 208J).



■ Extended Exit Tray

An extra-long exit tray ensures neat stacking of finished jobs (models 98M, 208J, 408A).



■ Double Feed Detection

The double feed detection sensor prevents mis-folded papers being contaminated to outputs (model 408A).



■ Paper Sizes and Weights

Sheet sizes from 2½" x 5¼" to 12" x 18" and paper weights from 18lb bond to 90lb index (model MY2051).




■ Enclosed Turbine Blower

The low-maintenance blower on the 352S does not require filter changes and is fully enclosed for quiet operation.








model overview

Folders



	Mark VII high speed air fed folder	MBM 352S top-loading manual air-suction	MBM 1800S automatic air feed
Feed system	auto-feed friction	bottom feed, adj. air suction	ultrasonic double feed sensor
Speed, sheets per hour ¹	35,000	30,000	18,000
Paper size, inches	3½ x 4¼ to 14 x 20	3½ x 4¼ to 12½ x 17¾	4½ x 8¼ to 13 x 19
Paper weight, pounds ¹	16-80 lb	13-110 lb	16-80 lb
Capacity, sheets ¹	300 (20 # paper)	450	800
Suitable for digitally printed and coated stocks	•	•	•
Digital control panel	-	-	•
Programmability	7 standard folds	6 standard folds	6 standard folds
Counter with BATCH and TOTAL functions	•	-	•
One-touch memory keys for custom folds	-	-	•
Automatic exit conveyor	manual set rollers	manual set rollers	self-setting exit rollers
Skew and micro-adjustment dials	•	•	•
Optional accessories	perforating and scoring	perforator, scorer, slitter, crossfold	micro-perforator, and scorer
Electrical requirements	115 V	115V, 60 Hz	120 V, 60 Hz
Dimensions (D x W x H), inches	19½ x 43 x 24	22¼ x 51¼ x 43½	24 x 49 x 23
Shipping weight pounds	108	312	189

Fold styles

	 Half Fold Single Page - Center Fold	 Letter Fold 6-page std, C-Fold, Letter, Trifold, Barrel	 Z Fold Accordion Fold	 Double Parallel Parallel Fold	 Engineering Half Accordion	 Gate Fold Brochure Fold, 6 Page Standard	 Church Fold Parallel Over, Outer Fold
AKA							
Martin Yale P7400	•	•	•	•			
FD 300	•	•	•	•			
Ideal MBM 98M	•	•	•	•			
FD 314	•	•	•	•			
Ideal MBM 208J	•	•	•	•	•	•	
Ideal MBM 408A	•	•	•	•	•	•	
Martin Yale 2051	•	•	•	•	•	•	•
Ideal MBM 352F	•	•	•	•	•	•	
Air Feed Folders							
Mark VIII	•	•	•	•	•	•	•
Ideal MBM 352S	•	•	•	•	•	•	•
MBM 1800S	•	•	•	•	•	•	