

Shredders are used to destroy confidential information and provide additional security to any workplace.

Southwest helps you by taking in your used equipment as a trade-in towards the purchase of brand new equipment

Interested in upgrading to new equipment, but you're not sure what to do with your existing one? Do you have equipment lying around that you are no longer using? Want to save even more money on the purchase of new equipment?

We will consider all trade-ins regardless of what you are buying. Looking for a new laminator, but need to clear out space by removing the binding equipment you are no longer using?

We can take care of that for you.



Shredders







Deskside 2245,	DESTROYIT 2245		DESTROYIT 2265		DESTROYIT 2270		DESTROYIT 2360			DESTROYIT 2445
2265, 2270, 2360, 2445	2245 SC	2245 CC	2265 SC	2265 CC	2270 SC	2270 CC	2360 SC	2360 CC	2360 CC	2445 SMC
Feed opening, inches	8 3	3/4	8 3	3/4	8 3	3/4		9 1/2		9 1/2
Strip width (SC) / particle size (CC & SMC), inches	3/16	1/8 x 1	3/16	1/8 x 1	3/16	1/8 x 1	3/16	3/16 x 1 1/2	3/32 x 5/8	1/32 x 3/16
Sheet capacity, 8 1/2" x 11" 20 lb. bond	10-12	5-6	10-12	5-6	10-12	5-6	12-14	11-13	6-8	5-7
Security level (DIN 66399)	P-2	P-4	P-2	P-4	P-2	P-4	P-2	P-4	P-5	P-7
Shredding capabilities (non-paper)	Ø ==	0	Ø ==	0	# == 0	#	Ø ===	Ø ===	Ø ===	-
Shred speed, ft. / min.	12	12	12	12	12	12	27	14	14	14
Maximum horsepower	1.	/5	1.	/5	1.	/5	1/2		1/2	
Electrical requirements, volts	1	15	1	15	1	15	115		115	
Dimensions (D x W x H), inches	8 1/2 x 13	3 1/2 x 17 /4	8 3/4 x 1	3 1/2 x 21	8 3/4 x 1	3 1/2 x 21	11 3/4 x 15 1/2 x 28 3/4		11 3/4 x 15 1/2 x 28 3/4	

Security Level:

Shipping weight, pounds




≤6 mm wide strips of any length



≤2 mm wide strips of any length

Centralized Office		DESTRO	YIT 2604	DESTROYIT 3104			
2604, 3104	2604 SC	2604 CC	2604 CC	2604 SMC	3104 SC	3104 CC	3104 CC
Feed opening, inches		10	1/4			12	
Strip width (SC) / particle size (CC & SMC), inches	3/16	3/16 x 1 1/2	3/32 x 5/8	1/32 x 1/16	3/16	3/16 x 1 1/2	3/32 x 5/8
Sheet capacity, 8 1/2" x 11" 20 lb. bond	27-30	23-25	14-16	6-8	27-30	22-25	14-17
Security level (DIN 66399)	P-2	P-4	P-5	P-7	P-2	P-4	P-5
Shredding capabilities (non-paper)	#	#	#	-	Ø =	#	Ø ===
Shred speed, ft. / min.	18	18	18	28	18	18	18
Maximum horsepower		-	1			1	
Electrical requirements, volts	115 115						
Dimensions (D x W x H), inches		18 1/2 x 19	1/2 x 36 1/2	1	8 1/2 x 21 x 36 1	/2	
Shipping weight, pounds	123	123	123	123	132	132	132

Model (SC = strip-cut, CC = cross-cut, SMC = super micro-cut). All technical data is approximate and subject to change.

















Deskside	DESTROYIT 2404					
2404	2404 SC	2404 CC	2404 CC			
Feed opening, inches		9 1/2				
Strip width (SC) / particle size (CC & SMC), inches	3/16	3/16 x 1 1/2	3/32 x 5/8			
Sheet capacity, 8 1/2" x 11" 20 lb. bond	19-22	13-15	9-11			
Security level (DIN 66399)	P-2	P-4	P-5			
Shredding capabilities (non-paper)	#	Ø ==	Ø = =			
Shred speed, ft. / min.	27	27	27			
Maximum horsepower		3/4				
Electrical requirements, volts		115				
Dimensions (D x W x H), inches	11 3/	/4 x 15 1/2 x 2	8 3/4			
Shipping weight, pounds	58	58	58			

Centralized	DESTROYIT 2503						
<i>Office</i> 2503	2503 SC	2503 CC	2503 CC				
Feed opening, inches		10 1/4					
Strip width (SC) / particle size (CC & SMC), inches	3/16	3/16 x 1 1/2	3/32 x 5/8				
Sheet capacity, 8 1/2" x 11" 20 lb. bond	19-21	12-14	8-10				
Security level (DIN 66399)	P-2	P-4	P-5				
Shredding capabilities (non-paper)	# =0	Ø ==	Ø ===				
Shred speed, ft. / min.	24	24	24				
Maximum horsepower		3/4					
Electrical requirements, volts	115						
Dimensions (D x W x H), inches	14 3/4 x 19 3/4 x 34 1/4						
Shipping weight, pounds	78	78	78				



 \leq 160 mm² particles with width \leq 6 mm

 \leq 30 mm² particles with width \leq 2 mm

 \leq 5 mm² particles with width \leq 1 mm

0 1 11 1 0 661						I			
Centralized Office	DESTROYIT 3105		DESTROYIT 3804			DESTROYIT 4005			
3105, 3804, 4005	3105 CC	3105 CC	3804 SC	3804 CC	3804 CC	4005 SC	4005 CC	4005 CC	4005 SMC
Feed opening, inches	1	2		16	'	16			'
Strip width (SC) / particle size (CC & SMC), inches	3/16 x 1 1/2	3/32 x 5/8	1/4	3/16 x 1 1/2	3/32 x 5/8	1/4	3/16 x 1 1/2	3/32 x 5/8	1/32 x 3/16
Sheet capacity, 8 1/2" x 11" 20 lb. bond	37-39	24-26	29-31	24-26	12-14	50-52	37-39	24-26	10-12
Security level (DIN 66399)	P-4	P-5	P-2	P-4	P-5	P-2	P-4	P-5	P-7
Shredding capabilities (non-paper)	#	#	# = 0	#	Ø ==	# = 0	# = 0	#	-
Shred speed, ft. / min.	40	30	20	20	20	40	30	30	44
Maximum horsepower	2-	1/8		1			2	1/8	
Electrical requirements, volts	115 (20 amp	line required)	115			115 (20 amp line required)			
Dimensions (D x W x H), inches	23 x 2	2 x 40	23 1/4 x 25 1/4 x 38 1/4 23 1/4 x 25 1/4 x 39 3			1/4 x 39 3/4			
Shipping weight, pounds	324	324	232	233	233	343	378	378	390

Model (SC = strip-cut, CC = cross-cut, SMC = super micro-cut). All technical data is approximate and subject to change.











model overview

Shredders







High	Ca	pa	city
4605, 41	07. 5	009	

High Capacity	DESTRO	YIT 4605	DESTROYIT 4107			DESTROYIT 5009			
4605, 4107, 5009	4605 CC	4605 CC	4107 SC	4107 SC	4107 SC	4107 CC	5009 CC	5009 CC	
Feed opening, inches	1	8		16			20		
Strip width (SC) / particle size (CC), inches	3/16 x 2 3/8	3/32 x 5/8	1/2	3/8	1/4	1/4 x 2	1 1/32 x 1 1/2 - 3	1/4 x 2	
Sheet capacity, 8 1/2" x 11" 20 lb. bond	50-60	32-37	120-140	105-125	75-95	65-82	600-700	300-400	
Security level (DIN 66399)	P-3	P-5	P-2	P-2	P-2	P-3	P-2	P-3	
Shredding capabilities (non-paper)	∅	#	∅ = 0	∅ ₩	∅ ⊚	∅ ⊚	#	#	
Shred speed, ft. / min.	40	40	60	60	60	53	24-462	24-452	
Shred collection container type	mobile s	hred bin		pull-out shre	ed bag frame		mobile shre	d bag trolley	
Maximum horsepower	7 1/3	7 1/3	10	10	10	8	24	24	
Electrical requirements, volts	220, 3	phase	220, 3 phase				220, 3 phase		
Dimensions (D x W x H), inches	30 x 2	9 x 67	67 x 48 3/4 x 56 3/4 85 1/2			85 1/2 x 40	3/4 x 67 1/2		
Shipping weight, pounds	715	715	952	952	994	983	3,080	3,080	

Model (SC = strip-cut, CC = cross-cut, SMC = super micro-cut)

Southwest Warranty Plans

SOUTHWEST STANDARD **WARRANTY**

- Parts and labour covered for 6 months*
- Warranty includes on-site repairs**
- · Demo and training additional fees apply
- Initial diagnosis by a technician or Account Executive within 24 hour***

SOUTHWEST PREMIUM WARRANTY

At Point Of Purchase

- 1 year Coverage on all parts* and labour
- Warranty includes on-site repairs**
- Includes Demo and training** (within 85km)***
- · Initial diagnosis by a technician or Account Executive within 4 hours

MULTI YEAR WARRANTY

- · Includes one-time purchase of warranty of 3 years or more
- · Call for quote

RENEWAL OF EXISTING WARRANTY

- 1 vear renewable warrantv
- Same terms and conditions of premium SWBP warranty apply
- · Available at any time prior to expiration of existing SWBP warranty

SOUTHWEST EXTENDED WARRANTY

At Point Of Purchase

- · 2 year Coverage on all parts* and labour
- · All other terms and conditions are the same as Premium warranty

Call 1-877-285-7044 from anywhere in Canada for assistance

- *Excludes wearable parts, misuse or abuse
- **Available within 85km of service
- **If over 85Km travel time will apply
- SWBP Refers to Southwest Business Products.
- · Warranty Service is in our shop, Southwest will cover delivery costs within the Warrenty period.
- · Warranty Service for large equipment (cutters etc.) are for On-Site Service.
- · Wearable items are not covered (Dies. Cutter Knives, Belts, Rollers, Fuses, etc.).
- · Damage is not covered.